



SEED DRILL MOUNTED WITH DISC SOWERS
ERKUL悬挂式条播机,圆盘型播种开沟器

ERKUL



SEED DRILL MOUNTED TYPE
悬挂式条播机

TORUN



SEED DRILL, MOUNTED WITH SPRING AXE TYPE SOWERS
悬挂式条播机、弹簧斧型开沟器

AHM



agromaster®

“We know the soil”


www.agromaster.com

SEED DRILL, MOUNTED WITH DISC SOWERS, ERKUL

条播机, 三点悬挂式圆盘型播种开沟器 ERKUL

Mounted Seed Drill ERKUL with disc and axe type sowers is designed for sowing seeds such as wheat, barley, oat, rye besides canola, alfalfa, clover etc. Small, medium and big sizes seeds can be sowed with this machine. After treatment with a plow or a small amount of straw axe type sowers are more operable. For mulch sowing disc type sowers are suitable, which practically work without wear and not get clogged, even when a large number of straw.



ERKUL三点悬挂式圆盘型和斧子型条播机是专为播种如小麦, 大麦, 燕麦, 黑麦, 除了油菜, 苜蓿, 三叶草等。这种机器可播种小, 中, 大尺寸的种子。用犁处理土壤后斧子型播种机更具操作性。对于覆盖地膜播种圆盘型播种机是很合适的, 即使在大量稻草的情况下, 它实际上也不会磨损, 也不会堵塞。



悬挂式条播机

“We know the soil”



SEED DRILL, MOUNTED WITH DISC SOWERS, ERKUL
条播机, 三点悬挂式圆盘型播种开沟器 ERKUL


悬挂式条播机

“We know the soil”

Disc Type / 圆盘型

Technical Specifications* 技术参数	Unit 单位	ERKUL 250	ERKUL 300	ERKUL 360	ERKUL 400
Number of Sowers 播种行数	pcs / 个	21	25	29	33
Total Width (W) 总宽度	mm/毫米	2500	3060	3630	4100
	ft.in./英寸	8'2"	10'	11'10"	13'5"
Total Length (L) 总长度	mm/毫米	2060	2060	2060	2060
	ft.in./英寸	6'9"	6'9"	6'9"	6'9"
Total Height (H ₁) 总高度	mm/毫米	2500	3060	3630	4100
	ft.in./英寸	8'2"	10'	11'10"	13'5"
Height of Machine (H) 机器高度	mm/毫米	1460	1460	1460	1460
	ft.in./英寸	4'9"	4'9"	4'9"	4'9"
Working Width 播种深度	mm/毫米	2500	3000	3600	4000
	ft.in./英寸	8'2"	9'10"	11'10"	13'1"
Number of Tine Harrows 尖叉耙数量	pcs / 个	34	52	52	54
Seed Hopper Volume 种子箱体积	dm ³ 立方分米	470	603	710	840
Required Power 配套马力	hp 马力	60	70	80	90
Weight 重量	kg/公斤	650	820	900	985
	lbs/磅	1433	1807	1984	2171
1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch		* Manufacturer reserves rights to change them without notice./ *制造商保留所以权力如有更改恕不另行通知			

Axe Type / 斧型

Technical Specifications* 技术参数	Unit 单位	ERKUL 250	ERKUL 300	ERKUL 360	ERKUL 400
Number of Sowers 播种行数	pcs / 个	21	25	29	33
Total Width (W) 总宽度	mm/毫米	2500	3060	3630	4100
	ft.in./英寸	8'2"	10'	11'10"	13'5"
Total Length (L) 总长度	mm/毫米	2060	2060	2060	2060
	ft.in./英寸	6'9"	6'9"	6'9"	6'9"
Total Height (H ₁) 总高度	mm/毫米	2500	3060	3630	4100
	ft.in./英寸	8'2"	10'	11'10"	13'5"
Height of Machine (H) 机器高度	mm/毫米	1460	1460	1460	1460
	ft.in./英寸	4'9"	4'9"	4'9"	4'9"
Working Width 播种深度	mm/毫米	2500	3000	3600	4000
	ft.in./英寸	8'2"	9'10"	11'10"	13'1"
Number of Tine Harrows 尖叉耙数量	pcs / 个	34	52	52	54
Seed Hopper Volume 种子箱体积	dm ³ 立方分米	470	603	710	840
Required Power 配套马力	hp 马力	60	70	80	90
Weight 重量	kg/公斤	765	960	1060	1250
	lbs/磅	1686	2116	2336	2755
1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch		* Manufacturer reserves rights to change them without notice./ *制造商保留所以权力如有更改恕不另行通知			

SEED DRILL MOUNTED TYPE TORUN

TORUN 悬挂式条播机

 This is sowing machine which is mounted type along with three-point hitch and hydraulic lifting unit of tractor with or without fertilizer hopper options.

These machines are produced from 21 up to 33 rows.

You can sow all seeds of cereals through precision. Such as wheat, barley, oat, rye besides canola, alfalfa, clover etc. Small, medium and big sizes seeds can be sowed with this machine.

The seeds are sowed through the spring tines. However the seeds are regularly dropped & distributed to soil by way of seed distributor roll unit.

In this machine there can be used both chisel type or disc type sowers by fixing them on spring tines, depending on field and soil conditions.


 这台播种机是三点悬挂式的、可安装在拖拉机的液压升降器。它可以被生产与带肥料箱或，不带肥料箱。




这台机器被生产与21到33行。你可以精密得播种所有谷物种子。如小麦，大麦，燕麦，黑麦，除了油菜，苜蓿，三叶草等。小型，中型和大型种子可以用这台机器播种。种子播种通过弹簧的尖齿。而种子定期将投放并通过种子分配辊单元分配到土壤中。在这台机器中，可以使用斧式或盘式播种机，通过将它们固定在弹簧上取决于现场和土壤条件。



悬挂式条播机

“We know the soil”



SEED DRILL MOUNTED TYPE TORUN
TORUN 悬挂式条播机


Without Fertilizer Hopper / 无肥料箱

Technical Specifications* 技术参数*	Unit 单位	TORUN 21	TORUN 25	TORUN 29	TORUN 33
Total Width (W) (Transport Position) 总宽度(运时)	mm/毫米	2670	3150	3630	4110
	ft.in./英寸	8'9"	10'4"	11'11"	13'6"
Total Length (L) 总长度	mm/毫米	2325	2325	2325	2325
	ft.in./英寸	7'8"	7'8"	7'8"	7'8"
Total Height (H) 总高度	mm/毫米	1640	1640	1640	1640
	ft.in./英寸	5'4"	5'4"	5'4"	5'4"
Working Width 工作宽度	mm/毫米	2520	3000	3480	3960
	ft.in./英寸	8'3"	9'10"	11'5"	12'12"
Space Between Sowers 行距	mm/毫米	120	120	120	120
	ft.in./英寸	5"	5"	5"	5"
Seed Hopper Volume 种子箱体积	dm³ 立方分米	639	781	923	1065
Tyres 轮子		6.0x16	6.0x16	6.0x16	6.0x16
Required Power 配套动力	hp 马力	70-75	75-80	85-90	90-100
Weight 重量	kg/公斤	800	950	1000	1120
	lbs/磅	1763	2094	2204	2469

With Fertilizer Hopper / 带肥料箱

Technical Specifications* Техническая Характеристика	Unit Ед. изм	TORUN 21	TORUN 25	TORUN 29	TORUN 33
Total Width (W) (Transport Position) 总宽度(运时)	mm/毫米	2670	3150	3630	4110
	ft.in./英寸	8'9"	10'4"	11'11"	13'6"
Total Length (L) 总长度	mm/毫米	2325	2325	2325	2325
	ft.in./英寸	7'8"	7'8"	7'8"	7'8"
Total Height (H) 总高度	mm/毫米	1640	1640	1640	1640
	ft.in./英寸	5'4"	5'4"	5'4"	5'4"
Working Width 工作宽度	mm/毫米	2520	3000	3480	3960
	ft.in./英寸	8'3"	9'10"	11'5"	12'12"
Space Between Sowers 行距	mm/毫米	120	120	120	120
	ft.in./英寸	5"	5"	5"	5"
Fertilizer Hopper Volume 肥料箱体积	dm³ 立方分米	370	450	532	615
Seed Hopper Volume 种子箱体积	dm³ 立方分米	639	781	923	1065
Tyres 轮子		6.0x16	6.0x16	6.0x16	6.0x16
Required Power 配套动力	hp 马力	70-75	75-80	85-90	90-100
Required Power with Double Disc Coulter 双圆盘播种开沟器配套动力	hp 马力	80-85	90-100	105-110	115-120
Total Weight 总重量	kg/公斤	800	950	1000	1120
	lbs/磅	1763	2094	2204	2469
Weight with Double Disc Coulter 重量(双圆盘播种开沟器的)	kg/公斤	1260	1500	1820	2050
	lbs/磅	2777	3306	4012	4519

1 inch = 25.4 mm - 1 inch = 0.083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice./ *制造商保留所以权力如有更改恕不另行通知

SEED DRILL, MOUNTED WITH SPRING AXE TYPE SOWER, AHM

AHM 悬挂式斧型条播机

 This is sowing machine which is mounted type along with three-point hitch and hydraulic lifting unit of tractor with or without fertilizer hopper options.

These machines are produced from 14 up to 32 rows.

You can sow all seeds of cereals through precision. Such as wheat, barley, oat, rye besides canola, alfalfa, clover etc. Small, medium and big sizes seeds can be sowed with this machine.

The seeds are sowed through the spring tines. However the seeds are regularly dropped & distributed to soil by way of seed distributor roll unit.

In this machine there can be used only spring axe type sowers, depending on field and soil conditions especially for hard and dirty soil conditions.

 这台播种机是三点悬挂式的、可安装在拖拉机的液压升降器。这台机器被生产与14到32行的。你可以精密得播种所有谷物种子。如小麦，大麦，

燕麦，黑麦，除了油菜，苜蓿，三叶草等。小型，

中型和大型种子可以用这台机器播种。种子播种通过弹簧的尖齿。而种子定期将投放并通过种子分配单元分配到土壤中。在这台机器中，可以使用斧式或盘式播种机，通过将它们固定在弹簧上取决于现场和土壤条件。






SEED DRILL, MOUNTED WITH SPRING AXE TYPE SOWER, **AHM**

AHM 悬挂式斧型条播机





Spring axle type sowers
弹簧斧子型的播种开沟器



Platform
平台



Distributor closer adjusting lever
分配器调节杆



Electric or solenoid (optional) valves for tramline control
电动或电磁(可选)阀门行关闭系统



Hydraulic markers
液压式划行器



Seed rate adjustment
种子率调整



Seed distributors for seeding small, medium and large seeds
播种小型、中型和大型种子的种子分配器



Fluted fertilizer distributor
槽式肥料分配器





Seed Drill Mounted with Spring Axe Type Sower / 悬挂式斧型条播机

Technical Specifications* 技术参数	Unit 单位	AHM 14	AHM 16	AHM 18	AHM 20	AHM 22
Number of Sowers 行数	pcs 个	14	16	18	20	22
Distance Between Sowers 行距	mm/毫米	125	125	125	125	125
	ft.in./英寸	5"	5"	5"	5"	5"
Total Width (W) 总宽度	mm/毫米	2200	2450	2700	2950	3200
	ft.in./英寸	7'3"	8'	8'10"	9'8"	10'8"
Total Length (L) 总长度	mm/毫米	2400	2400	2400	2400	2400
	ft.in./英寸	7'10"	7'10"	7'10"	7'10"	7'10"
Total Height (H) 总高度	mm/毫米	1560	1560	1560	1560	1560
	ft.in./英寸	5'1"	5'1"	5'1"	5'1"	5'1"
Working Width 工作宽度	mm/毫米	1750	2000	2250	2500	2750
	ft.in./英寸	5'9"	6'7"	7'5"	8'2"	9'
Fertilizer Hopper Capacity 肥料箱容量	L / 升	296	337	377	417	457
	gallon/加仑	78	89	99	110	120
Seed Hopper Capacity 种子箱容量	L / 升	223	254	284	315	345
	gallon/加仑	58	67	75	83	91
Seed Hopper Capacity Without Fertilizer 无肥料的种子箱容量	L / 升	519	591	661	732	802
	gallon/加仑	137	156	174	193	211
Wheel 轮子		6,5/80-15	6,5/80-15	6,5/80-15	6,5/80-15	6,5/80-15
Working Speed 工作速度	km/h 千米/时	05-07	05-07	05-07	05-07	05-07
Required Power 配套动力	hp 马力	40-50	40-50	50-60	60-70	70-80
Weight 重量	kg/公斤	774	836	870	955	1014
	lbs/磅	1706	1834	1918	2105	2235

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice. / *制造商保留所以权力如有更改恕不另行通知



Technical Specifications* Техническая Характеристика	Unit Ед. изм	AHM 24	AHM 26	AHM 28	AHM 30	AHM 32
Number of Sowers 行数	pcs 个	24	26	28	30	32
Distance Between Sowers 行距	mm/毫米	125	125	125	125	125
	ft.in./英寸	5"	5"	5"	5"	5"
Total Width (W) 总宽度	mm/毫米	3450	3700	3950	4200	4450
	ft.in./英寸	11'4"	12'2"	12'12"	13'9"	14'7"
Total Length (L) 总长度	mm/毫米	2400	2400	2400	2400	2400
	ft.in./英寸	7'10"	7'10"	7'10"	7'10"	7'10"
Total Height (H) 总高度	mm/毫米	1560	1560	1560	1560	1560
	ft.in./英寸	5'1"	5'1"	5'1"	5'1"	5'1"
Working Width 工作宽度	mm/毫米	3000	3250	3500	3750	4000
	ft.in./英寸	9'10"	10'8"	11'6"	12'4"	13'1"
Fertilizer Hopper Capacity 肥料箱容量	L / 升	498	538	578	619	659
	gallon/加仑	131	142	152	163	174
Seed Hopper Capacity 种子箱容量	L / 升	376	406	436	467	497
	gallon/加仑	99	107	115	123	131
Seed Hopper Capacity Without Fertilizer 无肥料的种子箱容量	L / 升	874	944	1014	1086	1156
	gallon/加仑	230	249	267	286	305
Wheel 轮子		6,5/80-15	6,5/80-15	6,5/80-15	6,5/80-15	6,5/80-15
			6,00-16	6,00-16	6,00-16	6,00-16
Working Speed 工作速度	km/h 千米/时	05-07	05-07	05-07	05-07	05-07
Required Power 配套动力	hp 马力	80-90	100-110	100-110	110-120	110-120
Weight 重量	kg/公斤	1090	1215	1270	1385	1465
	lbs/磅	2403	2678	2799	3053	3229

1 inch = 25,4 mm - 1 inch = 0,083 feet (foot) - 1 feet (foot) = 12 inch

* Manufacturer reserves rights to change them without notice./ *制造商保留所以权力如有更改恕不另行通知





agromaster



🏠 Buyukkayacik Mahallesi Org. San. Bolgesi Evrenkoy Cad. No:32 • Selcuklu/Konya/TURKEY

☎ +90 332 235 64 23

✉ info@agromaster.com

🌐 www.agromaster.com

Since
1962